

■Aras Plastic



تبریز - کیلومتر ۸ جاده تهران - کوی صنعتی انرژی ماشین
۰۴۱-۱۲۳۴۵۶۷۸

۰۴۱-۱۲۳۴۵۶۷۸

Machine Energy Industrial Alley, 8th km of
Tabriz - Tehran Road , Tabriz - Iran

+98(41)12345678 www.arasplastic.com
+98(41)12345678 info@arasplastic.com



We, as Aras Plastic Atiye Company, started producing stretch films with the aims of reducing the costs of packing, facilitating it and safe transportation of products, and also keeping food products fresh and clean.

Our products are among the numerable plastics which can be used in the Europe and besides their qualitative advantages, are nature friendly. Our futuristic view had made us to invest heavily on technology and innovation. Therefore, we use the latest version of machines which are according to the world's latest standards.

The real goal of this company is the veneration of costumers via innovative ideas, reliability and being nature and human friendly.

Qualitative and exact production is our basic policy. This helped us to export %80 of our products to various countries, particularly Europe. Finally, costumer's satisfaction, reliance and continuous collaboration is and will be the primary principle of us.

شرکت آراس پلاستیک آتیه با هدف کاهش هزینه ها، تسهیل بسته بندی و حمل نقل امن کالا، همچنین به جهت حفظ کیفیت و زیبایی محصولات غذایی، پا به عرصه تولید فیلم استرچ نهاد.

محصول تولیدی ما جز محدود محصولات پلاستیکی قابل استفاده در کشورهای اروپایی است و در کنار دیگر مزایای کیفی آن، دوستدار محیط زیست است.

دیدگاه آینده نگر ما موجب شده ، تا بخش عظیمی از سرمایه خود را به تکنولوژی و نوآوری اختصاص دهیم و برای تولیدات خود از بهترین ، به روزترین و با کیفیت ترین خطوط تولید منطبق با استانداردهای روز استفاده کنیم .

هدف بنیادین این شرکت تکریم مشتری از طریق ایده های خلاق ، جلب اعتماد و پایبندی به اصول محیط زیست و انسانی است .

تولید با کیفیت و بی نقص اولین و مهمترین سیاست کیفی ما است و همین امر به ما کمک کرد تا بیش از ۸۰٪ محصولاتمان را به کشورهای مختلف از جمله کشورهای اروپایی صادر کنیم. در نهایت تامین رضایت مشتری و تداوم همکاری ها مهمترین اصل این شرکت است و خواهد بود.




Manual or Economic Stretch Film

Production In Every Thickness Or Size Is Possible.

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
Hand Type	7 - 35 micron	10 - 50 cm	100 - 300 mt



Manual or Economic Film

Lower thickness, more meters
Economic
High durability
Flexible
Elongation up to %300
%100 recyclable
Prevention from penetration of moisture or dirt
Multiple colors
Multiple thicknesses from 7 up to 35 microns
Multiple widths from 10 up to 50 centimeters
Multiple weights from 1 up to 20 kilograms

فیلم استرچ صنعتی (اکونومیک یا دستی)
ضخامت کم ، خاصیت کشسانی بالا
دوار و ماندگاری بالا
انعطاف پذیری
قابلیت کشش تا ۳۰۰ درصد
۱۰٪ قابل بازیافت
مقرن به صرفه
عدم نفوذ رطوبت یا گرد و خاک
در انواع رنگها
در ضخامت های مختلف از ۷ تا ۳۵ میکرون
از عرض ۱۰ تا ۵۰ سانتی متر و در وزن های ۱ تا ۲۰ کیلو





Power Stretch Film

High durability
Flexibility
Elongation up to %400
%100 recyclable
Economic
Lower weight of packing products
Keeping products safe in every weather condition
Increasing the stability level of products
Taking much less time for packing
4 carbon density

فیلم استرج ماشینی
دوان و ماندگاری بالا
اعطاف پذیری
قابلیت کشش تا % ۴۰۰
قابل بازیافت % ۱۰۰
مغرون بصره
کاهش وزن بسته بندی محصول
حفظ محصول در هر شرایط آب و هوایی
افزایش سرعت بسته بندی
بالا بردن استحکام بسته بندی محصول
با تجمع کربن ۴

Power Stretch Film

Production In Every Thickness Or Size Is Possible.

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
Machine	7 - 35 micron	10 - 150 cm	500 - 3000 mt
Super Power	7 - 35 micron	50 - 150 cm	500 - 3000 mt
Jumbo	7 - 35 micron	50 cm	3000 - 5000 mt



Aras
Plastic





Aras Plastic 
www.arasplastic.com

Super Power Stretch Film

High durability
Flexibility
Elongation up to %600
%100 recyclable
Economic
Lower weight of packing products
Taking much less time for packing
Keeping products safe in every weather condition
Increasing the stability level of products
8 carbon density

فیلم استرج ماشینی

دوم و ماندگاری بالا
انعطاف پذیری
قابلیت کشش تا % ۶۰۰
قابل بازیافت % ۱۰۰
مقرن به صرفه
کاهش وزن بسته بندی محصول
حفظ محصول در هر شرایط آب و هواهای
افزایش سرعت بسته بندی
بالا بردن استحکام بسته بندی محصول
با تجمع کرbin ۸

Super PowerStretch Film

Production In Every Thickness Or Size Is Possible.

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
machine	7 - 35 micron	10 - 150 cm	500 - 3000 mt
super power	7 - 35 micron	50 - 150 cm	500 - 3000 mt
jumbo	7 - 35 micron	50 cm	3000 - 5000 mt



Aras Plastic 
www.arasplastic.com



PRE - Stretch Film

Production In Every Thickness Or Size Is Possible.

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
Manual	6 - 12 micron	38 - 43 cm	500 - 600 mt
Automatic	6 - 12 micron	38 - 43 cm	2000 - 3200 mt

پره استرج

این فیلم یکی از انواع فیلم های استرج صنعتی است که در ضخامت های ۶ الی ۱۲ میکرون تولید می شود از ویژگی های این فیلم می توان به کاربرد آسان ، زحمت کم و بدون نیاز به کشیده شدن و در نتیجه صرفه جویی ۵۰٪ درصدی در مقدار مصرف فیلم استرج برای بسته بندی نسبت به سایر فیلم ها اشاره کرد .

PRE Stretch Film

Easy to use

For products those do not need extra stretching during usage

Less effort more efficiency

More durability

More than %50 saving during usage

Usage without contraction at the width of the goods

%100 recyclable



Pre-stretch



Standard Stretch



102gr

284gr





PE
Cling
Film

PE Cling Stretch Film

Production In Every Thickness Or Size Is Possible.

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
home type	7 - 12 micron	30 - 45 cm	10 - 100 mt
catering	7 - 12 micron	30 - 45 cm	100 - 300 mt
Automatic	7 - 12 micron	30 - 45 cm	600 - 1500 mt
Jumbo	7 - 12 micron	30 - 45 cm	3000 - 8000 mt



PE Cling Film

Hygienic products without any harmful or hazardous additives specially in contact with fatty foods

Competitive prices in comparison to PVC cling films and also more health and hygiene

Resistant to penetration of moisture and keeping the food healthy

More adhesiveness and elasticity

Prevention from spoiling of foods
recyclable %100

Food Protection Film

Manufacturing products with hygienic properties especially in contact with fatty foods

Competitive prices in comparison to PVC cling films and also more health and hygiene

Resistant to penetration of moisture and keeping the food healthy

More adhesiveness and elasticity

Prevention from spoiling of foods
recyclable %100

Food Protection Film

Food Protection Film



Silage Stretch Film
Production In Every Thickness Or Size Is Possible.

■ Aras Plastic 

Technical Specifications

PRODUCT TYPE	THICKNESS(micron)	WIDTH(cm)	LENGTH(meter)
Silage	25 - micron	25-50-75 cm	1500 - 1800 mt

Silage Film
High durability
Ideal stickiness for optimal fermentation
Easy to use at silage baling machines
UV protection
%100 recyclable
Multiple colors in 50 and 70cm width
Economic

فیلم استرج سیلаж(کشاورزی)
دوام و ماندگاری بالا
چسبندگی ایده آل برای تخمیر بهینه
استفاده آسان در ماشینهای سیلاج
 مقاوم در برابر اشعه یو وی
 ۱۰۰٪ قابل بازیافت
 مفرون به صرفه
 امکان تولید در انواع رنگها ، در عرض ۵۰ و ۷۵ سانتی

